

Concrete Decorative Pavements

Cemex Signature Mixes










Customize your finish









```
(S01-S20) Stamped finish
(GP01-GP06) Polished concrete
(E01-E05) Exposed aggregate finish
(BR01-BR02) Broom finished concrete
```

2. Customize your finish

```
(BC01 - BC06) Choose integral mix color (BP01 - BP08) Choose color intensity (BA01 - BA06) Choose aggregate (BF01 - BF17) Choose texture
```

3. Visit our Showroom

4. Contact us



Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



S-11



Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match






Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Stamped finish (S01 - S20)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Polished finish (GP01 - GP06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Polished finish (GP01 - GP06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Polished finish (GP01 - GP06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Polished finish (GP01 - GP06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Polished finish (GP01 - GP06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Polished finish (GP01 - GP06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match






Exposed Aggregate Finish (E01 - E05)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match






Exposed Aggregate Finish (E01 - E05)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Exposed Aggregate Finish (E01 - E05)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Exposed Aggregate Finish (E01 - E05)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match






Exposed Aggregate Finish (E01 - E05)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Broom Finished (BR01 - BR02)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BR - 01



Broom Finished (BR01 - BR02)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BR - 02



Customize your decorative pavement

Choose integral mix color (BC01 - BC06)

Choose from a wide variety of colors to form a unique look of your decorative concrete pavement

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match





Choose integral mix color (BC01 - BC06)

Choose from a wide variety of colors to form a unique look of your decorative concrete pavement

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BC – 01 Peachy Peach



Choose integral mix color (BC01 - BC06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BC – 02 Bronze Tan



Choose integral mix color (BC01 - BC06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BC – 03 Oyster Pearl



Choose integral mix color (BC01 - BC06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BC – 04 Misano Red



Choose integral mix color (BC01 - BC06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BC - 05 Light Peach



Choose integral mix color (BC01 - BC06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BC – 06 Pale Tea



Choose color intensity (BP01 - BP08)

Choose the pigment content to enhance the color mix

The quantity of pigment on the mix will impact on the Intensity of the color but also on price of the mix.



impact of the pigment content for the color whate real



Choose color intensity (BP01 - BP08)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BP – 01 Low (Carmine Red)



Choose color intensity (BP01 - BP08)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BP – 02 Medium (Carmine Red)



Choose color intensity (BP01 - BP08)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BP – 03 High (Carmine Red)



Choose color intensity (BP01 - BP08)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BP – 04 Very High (Carmine Red)



Choose color intensity (BP01 - BP08)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BP – 05 Low (Pale Tea)



Choose color intensity (BP01 - BP08)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BP – 06 Medium (Pale Tea)



Choose color intensity (BP01 - BP08)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BP – 07 High (Pale Tea)



Choose color intensity (BP01 - BP08)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BP – 08 Very high (Pale Tea)



Choose aggregate (BA01 - BA06)

Combine from a wide variety of aggregates to form a unique finish This choice will impact on the exposed/polished finish



" White



" Grey



" Yellow



" Light grey



" Dark grey



" Luminescent



Choose aggregate (BA01 - BA06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BA – 01 Grey



Choose aggregate (BA01 - BA06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BA – 02 Grey



Choose aggregate (BA01 - BA06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BA – 03 Dark grey



Choose aggregate (BA01 - BA06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BA – 04 Yellow



Choose aggregate (BA01 - BA06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BA - 05 White



Choose aggregate (BA01 - BA06)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match




BA – 06 Luminescent



Choose texture. Stamped



Choose from a wide variety of patterns to form a unique finish





" Chiseled slate



" Fieldstone



" Wood planks



" Heavy stone



" Italian slate



" Large stone fan



" Majestic Ashlar



" Old Chicago brick



Choose texture. Polished



Choose the level of aggregate exposure and finished gloss to form a unique polished finish. The concrete polishing association of America defines the following levels of aggregate exposure and finished gloss:

" Aggregate exposure

CLASS	NAME	APPROXIMATE SURFACE CUT DEPTH*	APPEARANCE			
Α	Cream	Very little	Little aggregate exposure			
В	Fine Aggregate (Salt and Pepper)	1/16 inch	Fine aggregate exposure with little or no medium aggregate exposure at random locations			
С	Medium Aggregate	1/8 inch	Medium aggregate exposure with little or no large aggregate exposure at random locations			
D	Large Aggregate	1/4 inch	Large aggregate exposure with little or no fine aggregate exposure at random locations			

" Finished gloss

LEVEL	NAME	REFLECTIVE CLARITY		REFLECTIVE SHEEN		SUGGESTE D GRIT RANGE	SUGGESTED MINIMUM NUMBER OF ABRASIVE PASSES
1	Flat [Ground]	Flat appearance with no to very slight diffused reflection	to	None to very low	15 to	Below 100	4
2	Satin [Honed]	Matte appearance with or without slight diffused reflection		Low to medium		100 to 400	5
3	Semi- Polished	Objects being reflected are not quite sharp and crisp but can be easily identified		Medium to high		800 and higher	6
4	Highly- Polished	Objects being reflected are sharp and crisp as would be seen in a mirror- like reflection	100	High to highest	80		7





Choose texture. Exposed aggregate



Playing with the color of the aggregate and the integral color of the concrete, a unique exposed aggregate finish can be formed.

The perfect balance between functionality and aesthetics, providing High Slip resistance



Choose texture. Broom finished



Playing with the integral color of the mix, a unique broom finished can be formed.

The perfect balance between functionality and aesthetics, providing High Slip resistance



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 01 Stamped "heavy stone"



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 02 Polished A1



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 03 Polished A3



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 04 Polished B1



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BF – 05 Polished B3



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 06 Polished C1



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm




BF – 07 Polished C3



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match



BF – 08 Polished D1



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm

PLEASE NOTE: The print process does not allow for exact reproduction of the colors and therefore should not be taken as a definitive color match




BF – 09 Polished D3



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm




BF – 10 Exposed aggregates "soft"



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 11 Exposed aggregates "deep"



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 12
Broom finished "soft"



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 13
Broom finished "soft"



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 14 Stamped "chiseled slate"



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 15 Polished A1



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 16 Polished A3



Choose texture (BF01 - BF17)

Size of the sample 300 mm * 300 mm



BF – 17 Polished D3



Visit our Showroom

CEMEX Topmix LLC

Al Quoz Industrial Area 3 Dubai, UAE

Tel: 971.4.347.0427 Fax: 971.4.347.1713









Contact us

CEMEX Topmix LLC

Al Quoz Industrial Area 3

Dubai, UAE

Tel: 971.4.347.0427 Fax: 971.4.347.1713

Email info.dubai@cemex.com

CEMEX Falcon LLC

Jebel Ali Industrial Area 3

Dubai, UAE

Tel: 971.4.880.1212 Fax: 971.4.880.1033

Email info.dubai@cemex.com

CEMEX Supermix LLC

Mussafah Industrial Area

Abu Dhabi, UAE

Tel: +971 2 551 5501

Fax: +971 2 551 5560

Email info.abudhabi@cemex.com

UAE website www.cemex.ae
Toll Free Number 800CEMEX

Cash Customer Hotline 800CEMEX 4U

Contact us today:

"Get a quotation (Ready Mix Sales) http://www.cemex.ae/contactus.aspx

"Get a sample. (Concrete Paving Sales) http://www.cemex.ae/contactus.aspx

